

# MHJ 165 E

NATURAL STONE HEATERS

PRODUCT-NO.: 233653

**Natural stone heaters: Cosy warmth delivered with individual charm.**

These natural stone panels not only look stunning, they also give out a very pleasant heat. Thanks to a range of different designs, the natural stone heaters fit perfectly into a wide variety of interior design concepts.

**Every model absolutely natural.**

As every panel is made from natural stone into which only a thin cable is embedded, every heater is unique in colour and structure. Consequently, a natural stone heater lends any bathroom and living room a very special and individual kind of charm.



## The main features

JURA natural stone heater

---

Marbled limestone

---

1,650 W heating output

---

Ideal as supplementary or booster heater

---

Pleasant radiated heat

---

Portrait or landscape installation is possible



Type	MHJ 35 E	MHJ 65 E	MHJ 85 E
Part no.	233648	233649	233650

## Heating output

Rated heating output $P_{nom}$	0,4 kW	0,7 kW	0,9 kW
Minimum heat output (standard value) $P_{min}$	0,0 kW	0,0 kW	0,0 kW
Maximum continuous heating output $P_{max,c}$	0,4 kW	0,7 kW	0,9 kW

## Auxiliary power consumption

D heating output $e_{l_{max}}$	0,000 kW	0,000 kW	0,000 kW
Heat output $e_{l_{min}}$	0,000 kW	0,000 kW	0,000 kW
Dby mode $e_{l_{SB}}$	0,000 kW	0,000 kW	0,000 kW

## Type of heating output/room temperature control

Single stage heating output, no room temperature control	-	-	-
Two or more manually adjustable stages, no room temperature control	-	-	-
Room temperature control with mechanical thermostat	-	-	-
With electronic room temperature control	-	-	-
Electronic room temperature control and time of day control	-	-	-
Electronic room temperature control and day of week control	x	x	x

## Other control options

Room temperature control with occupancy detection	-	-	-
Room temperature control with open window detection	-	-	-
With remote control option	-	-	-
With adaptive control for start of heating	x	x	x
With restricted operating times	-	-	-
With black bulb sensor	-	-	-



Type	MHJ 115 E	MHJ 145 E	MHJ 165 E
Part no.	233651	233652	233653

## Heating output

Rated heating output $P_{nom}$	1,2 kW	1,5 kW	1,7 kW
Minimum heat output (standard value) $P_{min}$	0,0 kW	0,0 kW	0,0 kW
Maximum continuous heating output $P_{max,c}$	1,2 kW	1,5 kW	1,7 kW

## Auxiliary power consumption

D heating output $e_{l_{max}}$	0,000 kW	0,000 kW	0,000 kW
Heat output $e_{l_{min}}$	0,000 kW	0,000 kW	0,000 kW
Dby mode $e_{l_{SB}}$	0,000 kW	0,000 kW	0,000 kW

## Type of heating output/room temperature control

Single stage heating output, no room temperature control	-	-	-
Two or more manually adjustable stages, no room temperature control	-	-	-
Room temperature control with mechanical thermostat	-	-	-
With electronic room temperature control	-	-	-
Electronic room temperature control and time of day control	-	-	-
Electronic room temperature control and day of week control	x	x	x

## Other control options

Room temperature control with occupancy detection	-	-	-
Room temperature control with open window detection	-	-	-
With remote control option	-	-	-
With adaptive control for start of heating	x	x	x
With restricted operating times	-	-	-
With black bulb sensor	-	-	-

These appliances may only be installed and commissioned in conjunction with external room temperature controllers that have the following functions: Electronic room temperature control with day of week control and adaptive control of the start of heating. These requirements are met by the STIEBEL ELTRON RTU-TC, RTU-S UP Stiebel® and SRC C digital room temperature controllers. Failure to observe these requirements will result in the loss of the CE designation.

## **Contact information**

You have questions? We appreciate to help you:

SALES HOTLINE

**+91 2067 48 0928**

SERVICE HOTLINE

**+91 2067 48 0921**

Write an email to [sales@stiebel-eltron.in](mailto:sales@stiebel-eltron.in)

## **Installation information**

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.