

CK 20 trend LCD

RAPID HEATER

PRODUCT-NO.: 236653

A strong performance from a compact appliance

If you need heat particularly quickly, this rapid heater is perfect for you. It produces your preferred temperature straight away and does not require much in return: a power socket is all that is needed to connect this electrical appliance.

Effortless control and enjoyment

The heater is convenient to operate as the temperature controller is very easy to access. It is best to opt for the smallest version if installing the appliance in a particularly small recess.



The main features

Wall mounted convector – ideal as a supplementary heater or interim heater in spring/autumn

Very quick heating of rooms

Compact appliance in a plastic casing

Operating controls with illuminated LCD screen

Weekly timer, frost protection and open window detection

Control unit with self-learning capability: automatic calculation of the preheat time in timer mode

Maximum safety thanks to three-stage overheating protection



Type	CK 20 trend LCD
Part no.	236653

Technical data

Power supply	1/N ~ 230 V
Rated voltage	~230 V
Rated current	8,7 A
Connected load	2 kW
IP rating	IP 24
Protection class	II
Colour	alpine white
Sound pressure level	49 dB(A)
Setting range	5-30 °C
Height	400 mm
Width	275 mm
Depth	131 mm
Weight	2.50 kg

Depth including wall mounting bracket

Contact information

You have questions? We appreciate to help you:

SALES HOTLINE

+91 2067 48 0928

SERVICE HOTLINE

+91 2067 48 0909

Write an email to sales@stiebel-eltron.in

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.